ESSENTIAL LIFESAVING SELECTION

LALIZAS Life raft SOLAS DEEP SEA, Throw Overboard



LALIZAS Life raft SOLAS DEEP SEA, Throw Overboard complies with MED 96/98/CE - Chapter III SOLAS 1974 and subsequent amendments.

LALIZAS Life rafts SOLAS DEEP SEA, Throw Overboard are available in Pack A and Pack B equipment from 6 to 25 person versions. They can be packed either in a roll or in a flat pack canister.

The Compact version of the SOLAS DEEP SEA, Throw Overboard liferaft, is the most compact SOLAS life raft, designed specifically for the Mega yacht market, in order to save valuable stowage space.

A compact container is available in both cylindrical and rectangular shape with Pack A and Pack B equipment from 6 to 12 person versions..



The number of stabilizing pockets guarantees safety and comfort even in a stormy sea. A fiberglass container is included either in a roll or in a flat pack canister version.

LALIZAS Life raft SOLAS DEEP SEA, Throw Overboard is designed to inflate in an environment temperature of -30°C to +65°C while its inspection interval is every year.

PACK A Equipment:

- Sea anchor with rope (1 piece)
- Life ring with rope (1 piece) Floating paddles (2 pieces)
- Immediate action (1 piece)
- Floating knife (1 piece)
- 6. Bailer (1 piece)
- Sponge (2 pieces)
- Whistle (1 piece) 8
- Repair kit (1 piece)
- 10. Manual pump (1 piece)

- Seasickness bag (1 per person)
- 12. Torch kit (1 piece)
- Red hand flares (6 pieces)
- Red parachute flares (4 pieces)
- 15. Floating smoke signal (2 pieces)
- 16. Signalling mirror (1 piece)
- Drinking water (1,5 L per person)
- 18. Food per person (10.000 Kcal per person)
- Anti-seasickness pills (6 per person) 19
- Thermal protective aids (2 pieces)

- Fishing kit (1 piece)
- Radar reflector (1 piece)
- Radar reflector support (1 piece)
- 24. Sea anchor (1 piece)
- 25. Signalling table (1 piece)
- 26. Drinking water vessel (1 piece)
- Can opener (1 piece)
- Water -collect (1 piece)
- 29. First aid kit (1 piece)
- 30. Internal user manual

PACK B Equipment:


- Sea anchor with rope (1 piece)
- Life ring with rope (1 piece)
- Floating paddles (2 pieces) Immediate action (1 piece)
- Floating knife (1 piece)
- Bailer (1 piece)
- Sponge (2 pieces)
- Whistle (1 piece)

- Manual pump (1 piece)
- 10. Seasickness bag (1 per person)
- 11. Torch kit (1 piece)
- 12. Red hand flares (3 pieces)
- 13. Red parachute flares (2 pieces) 14. Floating smoke signal (1 piece)
- 15. Repair kit (1 piece)

- 16. Signalling mirror (1 piece)
- Anti-seasickness pills (6 per person)
- 18. First aid kit (1 piece)
- 19. Thermal protective aids (2 pieces)
- 20. Radar reflector (1 piece)
- 21. Radar reflector support (1 piece)
- 22. Sea anchor (1 piece)

3.

Model	Dimensions inches (mm)				
Wodel	А	В	С		
LALIZAS SOLAS DEEP SEA 6	78,5 (1990)	78,5 (1990)	47,5 (1210)		
LALIZAS SOLAS DEEP SEA 8	89,5 (2270)	89,5 (2270)	51,5 (1300)		
LALIZAS SOLAS DEEP SEA 10	100,5 (2550)	100,5 (2550)	55,5 (1410)		
LALIZAS SOLAS DEEP SEA 12	106 (2690)	106 (2690)	59 (1490)		
LALIZAS SOLAS DEEP SEA 16	133 (3380)	133 (3380)	64 (1620)		
LALIZAS SOLAS DEEP SEA 20	133 (3380)	133 (3380)	64 (1620)		
LALIZAS SOLAS DEEP SEA 25	133 (3380)	133 (3380)	64 (1620)		



PACK A




Code	501595	501596	501597	501598	501599	501600	501601
Persons	6	8	10	12	16	20	25
Container				Canister			
Canister Material				GRP			
Total Weight lb (kg)	185 (84)	216 (98)	234 (106)	260 (118)	338 (153)	372 (169)	392 (178)
X - Length inches (mm)	46,5 (1180)	46,5 (1180)	52 (1320)	52 (1320)	57,5 (1460)	62,5 (1590)	62,5 (1590)
Z - Width inches (mm)	25,5 (640)	25,5 (640)	25,5 (640)	25,5 (640)	28 (710)	29 (730)	29 (730)
Y - Height inches (mm)	23,5 (590)	23,5 (590)	23,5 (590)	23,5 (590)	24 (610)	25,5 (640)	25,5 (640)
Maximum Storage Height ft (m)	82 (25)	82 (25)	82 (25)	82 (25)	82 (25)	82 (25)	82 (25)



Flat-pack Compact

Code	501609	501610	501611	501612	
Persons	6	8	10	12	
Container		Flat-pack	Compact		
Canister Material		ABS			
Total Weight lb (kg)	141 (64)	170 (77)	198 (90)	238 (108)	
X - Length inches (mm)	29,5 (740)	34 (860)	34 (860)	41,5 (1050)	
Z - Width inches (mm)	19 (480)	24,5 (620)	24,5 (620)	22,5 (570)	
Y - Height inches (mm)	15,5 (390)	14 (350)	14 (350)	14 (350)	
Maximum Storage Height ft (m)	59 (18)	59 (18)	59 (18)	59 (18)	

PACK B



Canister

Code	501602	501603	501604	501605	501606	501607	501608
Persons	6	8	10	12	16	20	25
Container		Canister					
Canister Material				GRP			
Total Weight lb (kg)	156 (71)	168 (76)	179 (81)	203 (92)	240 (109)	260 (118)	276 (125)
X - Length inches (mm)	46,5 (1180)	46,5 (1180)	46,5 (1180)	52 (1320)	52 (1320)	57,5 (1460)	57,5 (1460)
Z - Width inches (mm)	25,5 (640)	25,5 (640)	25,5 (640)	25,5 (640)	25,5 (640)	28 (710)	29 (730)
Y - Height inches (mm)	23,5 (590)	23,5 (590)	23,5 (590)	23,5 (590)	23,5 (590)	24 (610)	25,5 (640)
Maximum Storage Height ft (m)	82 (25)	82 (25)	82 (25)	82 (25)	82 (25)	82 (25)	82 (25)
		'	•	'	'	•	



Flat-pack Compact

Code	501613	501614	501615	501616		
Persons	6	8	10	12		
Container		Flat-pack Compact				
Canister Material		GRP				
Total Weight lb (kg)	115 (52)	130 (59)	141 (64)	175 (79)		
X - Length inches (mm)	29,5 (740)	34 (860)	34 (860)	41,5 (1050)		
Z - Width inches (mm)	19 (480)	24,5 (620)	24,5 (620)	22,5 (570)		
Y - Height inches (mm)	15,5 (390)	14 (350)	14 (350)	14 (350)		
Maximum Storage Height ft (m)	59 (18)	59 (18)	59 (18)	59 (18)		

ESSENTIAL LIFESAVING SELECTION

LALIZAS OFFSHORE



The life raft LALIZAS OFFSHORE is ideal for offshore boating. It has a compact size, it is lightweight and very easy to store. Due to the lightweight material is ideal for boats and yachts that are looking to save valuable stowage space and reduce weight on board. Available in sizes for 6-8 people, packed either in a canister or in a waterproof suitcase.

The LALIZAS OFFSHORE is automatically inflated by a 12-metre painter line and its inflation system, provides enough gas to inflate all the buoyancy chambers. Each chamber is capable of fully supporting the raft with its maximum number of occupants.

The LALIZAS OFFSHORE is manufactured and tested to meet ISO 9650-1 & ISO 9650-3 standards as last amended for safety and offers highly visible, stable sheltered conditions for the occupants.
















Madal		Diamensios inches (mm)				
	Model	Α	В	С		
	LALIZAS ISO OFFSHORE 6	47,5 (1200)	82,5 (2090)	95 (2413)		
	LALIZAS ISO OFFSHORE 8	49,5 (1250)	94 (2385)	108,5 (2755)		

DOT Cylinder

Features & Specifications

- Thermally insulated floor
- Boarding ramp
- 3. International orange, self erecting canopy with retro-reflective tapes
- Twin independent buoyancy tubes containing safety valves 4.
- Rain water collection gutter
- Ventilation and observation port 6
- Fully closeable entrance flap. 7
- External, internal lifelines and righting device suitable for handling even by one person
- Comprehensive international service centers
- Operating temperature -15° C to + 65° C
- Stowage max height: 6m above sea level
- DOT Cylinder






Code	723726	723736		
Persons	6	8		
Container	Canister			
Total Weight lb (kg)	86 (39) 89 (40,			
X inches (mm)	29 (730)	29 (730)		
Y inches (mm)	18,5 (470)	18,5 (470)		
Z inches (mm)	13 (330)	13 (330)		

Standard Equipment

- Portable buoyant bailer (1pc)
- Sponge (2pcs) 2.
- Buoyant paddles (2pc) 3.
- Whistle (1pc)
- Waterproof torch/bulb (1pc) 5.
- Signalling mirror (1pc)
- Anti-seasickness pills (6pcs/person)
- Seasickness bag (1pc/person)
- Red hand flare (3pcs)
- Red parachute flares (2pcs)
- Repair kit (1pc)




- 13. Operational Manual (1pc)
- Table of the life-saving signals (1pc) 14.
- Log Book + Immediate actions Card (1pc)
- Mooring Ring with 30m rope (1pc) 16.
- Safety knife connected to the liferaft, buoyant, fixed blade, rounded tips (1pc)
- Floating anchor with 30m rope (1pc) 18.
- First Aif Kit (1pc) 19
- Drinking Water (0,5l/person)





Code	723776	723786		
Persons	6	8		
Container	Valise			
Total Weight lb (kg)	77 (35)	81,5 (37)		
X inches (mm)	24,5 (620)	25,9 (660)		
Y inches (mm)	19,3 (490)	18,9 (480)		
Z inches (mm)	11 (280)	11,4 (290)		



LALIZAS COASTAL





The life raft LALIZAS COASTAL is ideal for boating close to the coastline. It has a compact size, it is lightweight and very easy to store. Due to the lightweight material is ideal for boats and yachts that are looking to save valuable stowage space and reduce weight on board. Available in sizes for 6-8 people, packed either in a canister or in a waterproof suitcase.

The LALIZAS COASTAL is automatically inflated by a 12-metre painter line and its inflation system, provides enough gas to inflate all the buoyancy chambers. Each chamber is capable of fully supporting the raft with its maximum number of occupants.


The LALIZAS COASTAL is manufactured and tested to meet ISO 9650-1 & ISO 9650-3 standards as last amended for safety and offers highly visible, stable sheltered conditions for the occupants.















Madal	Diamensios (mm)				
Model	ei A		С		
LALIZAS COASTAL 6	47,5 (1200)	82,5 (2090)	95 (2413)		
LALIZAS COASTAL 8	49,5 (1250)	94 (2385)	108,5 (2755)		

Features & Specifications

- 1. International orange, self erecting canopy with retro-reflective tapes
- 2. Twin independent buoyancy tubes containing safety valves
- 3. Rain water collection gutter
- 4. Ventilation and observation port
- 5. Fully closeable entrance flap.
- External, internal lifelines and righting device suitable for handling even by one person
- 7. Comprehensive international service centers
- 8. Operating temperature -15° C to + 65° C
- 9. Stowage max height: 6m above sea level
- 10. DOT Cylinder


Standard Equipment

- 1. Portable buoyant bailer (1pc)
- Sponge (2pcs)
- 3. Buoyant paddles (2pc)
- 4. Whistle (1pc)
- 5. Waterproof torch/bulb (1pc)
- 6. Anti-seasickness pills (6pcs/person)
- 7. Repair kit (1pc)
- 8. Manual Pump (1pc)
- 9. Operational Manual (1pc)
- 10. Log Book + Immediate actions Card (1pc)
- 11. Mooring Ring with 30m rope (1pc)
- 2. Safety knife connected to the liferaft, buoyant, fixed blade, rounded tips (1pc)
- 13. Floating anchor with 30m rope (1pc)
- 14. First Aif Kit (1pc)





Code	723727	723737	
Persons	6	8	
Container	Canister		
Total Weight lb (kg)	75 (34)	80,5 (36,5)	
X inches (mm)	26,5 (675)	26,5 (675)	
Y inches (mm)	18,7 (475)	18,7 (475)	
Z inches (mm)	10 (252)	10 (252)	





Code	723777	723787	
Persons	6	8	
Container	Valise		
Total Weight lb (kg)	69 (31,5)	75 (34)	
X inches (mm)	24,2 (615)	26,2 (665)	
Y inches (mm)	19,4 (493)	18,9 (481)	
Z inches (mm)	9,2 (235)	11,4 (290)	

^{*}Please note that dimensions and weight may slightly vary (±3 cm for dimensions, ±5% for weight)

ESSENTIAL LIFESAVING SELECTION

LALIZAS Life raft LEISURE-RAFT



Ideal for in-shore boating, LALIZAS high-quality standard Leisure-Raft is perfect for those that do not need a full feature life raft. It is the smallest, lightest and most inexpensive life raft in the market. LALIZAS Leisure-Raft with its light weight allows for easy deployment, and the compact size makes storage easy in the smallest spaces. Even though this specific equipment is not stated as mandatory by law, it is crucial for your safety in case of MOB emergency.

- TPED approved CO₂ cylinder for easy transport
- Thermobonding technique that ensures extreme durability and reliability
- SOLAS approved water-activated compact LED light



Standard Equipment

- 20 ft. (6m) Painter line
- Hand pump Sea anchor (1 piece)
- Raft knife (1 piece)
- Pressure relief valve (1 piece)
- CO₂ Inflation system
- Water-activated locator light
- Ballast bags (2 pieces)
- Case (1 piece)



*3-year recommended service interval

Code		72200	72202	72201	72203
Persons		4	6	4	6
Descripti	on	with canopy		without canopy	
	Length (mm)	2004	2443	2004	2443
Life raft	Width (mm)	2004	2443	2004	2443
	Height (mm)	1170	1200	255	308
	Length (mm)	410	500	410	500
Valise	Width (mm)	330	350	320	340
	Height (mm)	150	190	140	180
Weight (I	kg)	9,10	12,50	8,20	11,50

*Please note that dimensions and weight may slightly vary (±3 cm for dimensions, ±5% for weight)

LifeLink Evacuation Life raft, grey



LifeLink Evacuation Life raft is one of the most manageable and user-friendly appliances in case of emergency. It is designed for LALIZAS Leisure Life raft (4 persons) and guarantees rapid deployment in an M.O.B. situation.

By mounting the LifeLink Evacuation Life raft on the rails, the user manages to save valuable stowage space on board.



- Material HDPE with UV protection
- All metal components are stainless steel
- · Created via rotomolding

Distance between horizontal rails: 310 mm ± 20 mm

*3-year recommended service interval



